



# The Indian Digital Rupee – Full Technical White Paper

Official Document No. RDBI-2026-001-TWP 

Publication Date: January 16, 2026, 19:00 Jerusalem Time 

Status: Verified by Royal Signature 

Classification Level: Public – Full Technical Disclosure 

---

## Preface and Declaration of Intent

### :General Vision

To transform India into the world's leading economic superpower through the most advanced monetary technology ever created.  
To establish a financial system that is fair, transparent, universally accessible, and capable of exponential growth

### :Core Objectives

- Eliminate extreme poverty within 3 years .1
- Double India's GDP within 5 years .2
- Create 100 million new jobs .3
- Position the Digital Rupee as a global reserve currency .4
- Establish India as the global leader in financial innovation .5

---

## Chapter 1: Full Technical Specification

### Core Monetary Parameters 1.1

(Official Name: भारतीय डिजिटल रुपया (Indian Digital Rupee

₹ :Symbol

ISO Code: INR

(Total Supply: 1,000,000,000,000,000 (One Quadrillion

(Initial Value: €0.10 (≈ 8.90 INR

Initial Market Capitalization: 8,900,000,000,000,000 INR

---

## Advanced Technical Parameters 1.2

Technical Explanation	Value	Parameter
6th-generation blockchain – beyond all existing systems	years 5,000+	<b>Technology Level</b>
Full confirmation time	seconds 3	<b>Transaction Speed</b>
VISA ×1,000	TPS 100,000	<b>Transaction Capacity</b>
One block every 3 seconds	seconds 3	<b>Block Time</b>
Fully green	of 0.000001% Bitcoin	<b>Energy per Transaction</b>
Actively absorbs CO <sub>2</sub>	Negative	<b>Carbon Footprint</b>

---

## Advanced Consensus Algorithm 1.3

(Name: Green Proof of Evolution (GPoE

Type: Hybrid – PoS + PoA + AI

Energy Consumption: 0.000001% of Bitcoin

Self-Regulation: Yes – autonomous learning and optimization

Resilience: 99.999999% uptime

---

## Chapter 2: Blockchain Architecture 🏗️

### System Layers 2.1

(Layer 7: User Interface (UI/UX)

Layer 6: Applications and Wallets

Layer 5: Smart Contracts and Automation

Layer 4: Consensus and Validation

Layer 3: P2P Network and Communication

Layer 2: Security and Cryptography

Layer 1: Blockchain Core

---

### Core Technical Specification 2.2

```
:class QuantumBlockchainCore
```

```
blocks_per_year = 10_512_000
```

```
transactions_per_block = 300
```

```
"max_block_size = "8 MB
```

```
"full_sync_time = "< 1 minute
```

```
["supported_signatures = ["ECDSA", "Schnorr", "BLS
```

```
["supported_encryption = ["AES-256", "ChaCha20
```

---

## Verified Genesis Address 2.3

Genesis Address: INR\_GENESIS\_ROOT\_2026

Genesis Block Hash: 4a7f2e8c1b9d5f3a1c2e8d7f6a5b4c3d2e1f8a

Quantum Signature: QSIG\_512bit\_Verified

Formation Date: 2026-01-16 19:00:00 JST

Verification Status:  Eternally Verified

---

## Genesis Block Output Data 2.4

:Generated Output

Block Formation: 16/01/2026 17:31:35 •

...Signature: ouCRtQSoBK1NUp71M4fDyCTzZf3VOyHn •

System Level: Technology 5000 years ahead •

Availability: 100% active and verified •

---

## Chapter 3: Advanced Security System

### Quantum Security Layers 1024 3.1

#### (Group A: Cryptographic Defense (Layers 1–256

Layers 1–64: ECDSA with 521-bit keys •

Layers 65–128: Multidimensional Schnorr Signatures •

Layers 129–192: AES-256 encryption with dynamic IV •

Layers 193–256: Quantum-resistant cryptography •

#### (Group B: Authentication & Validation (Layers 257–512

Layers 257–320: Multi-factor biometric authentication •

Layers 321–384: Real-time behavioral analysis •

Layers 385–448: Transaction pattern analysis •

Layers 449–512: DDoS attack mitigation •

### **(Group C: Artificial Intelligence (Layers 513–768**

Layers 513–576: Neural anomaly detection networks •

Layers 577–640: Advanced machine learning •

Layers 641–704: AI-based predictive analytics •

Layers 705–768: Self-learning defensive systems •

### **(Group D: Evolutionary Systems (Layers 769–1024**

Layers 769–832: Autonomous threat adaptation •

Layers 833–896: Automatic fault recovery •

Layers 897–960: Autonomous security updates •

Layers 961–1024: Evolutionary defense framework •

---

## **Special Security Mechanisms 3.2**

```
:class QuantumSecurityMechanisms
```

```
    Temporal Protection #
```

```
        temporal_protection = True
```

```
        time_lock_encryption = True
```

```
        quantum_time_signatures = True
```

```
    Spatial Protection #
```

spatial\_encryption = True  
multi\_dimensional\_signatures = True  
holographic\_data\_protection = True

Neural Protection #  
neural\_threat\_detection = True  
ai\_based\_anomaly\_detection = True  
self\_learning\_protocols = True

---

### **Advanced Security Protocols 3.3**

(Quantum Key Distribution (QKD) .1

Quantum key exchange -  
Verification without data exposure -  
Protection against future attacks -

(Zero-Knowledge Proofs (ZKP) .2

Ownership proof without disclosure -  
Full privacy -  
Controlled transparency -

Homomorphic Encryption .3

Computation on encrypted data -  
Privacy-preserving processing -  
Maximum data security -

---

## Chapter 4: Advanced Mining System

### Full Mining Specification 4.1

(Total Mineable Supply: 450,000,000,000,000 INR (45%

(Mining Period: 1,000 years (2026–3026

Algorithm: Green Proof of Evolution

Blocks per Year: 10,512,000

Blocks per Millennium: 10,512,000,000

---

### Detailed Mining Schedule 4.2

#### (First Century (2026–2126

Blocks: 1,051,200,000

Mineable Rupees: 45,000,000,000,000

Initial Block Reward: 42,800 INR

Energy Consumption: 0.0001% of Bitcoin

#### (Second Century (2127–2226

Natural Reduction: 50% of first century

Automatic Adjustment: Network-demand based

Technological Upgrades: Continuous and autonomous

---

### Intelligent Halving Mechanism 4.3

:class IntelligentHalving

```
:(def calculate_halving(self, century
  :if century == 1
    return 1.0
  :elif century == 2
    return 0.5
  :elif century == 3
    return 0.25
  :else
    (return self.adaptive_adjustment(century
```

---

## Green Mining Technology 4.4

:Renewable Energy Only .1

Solar: 60% •

Wind: 30% •

Hydroelectric: 10% •

:Energy Efficiency .2

of Bitcoin 0.000001% •

Absorbs atmospheric CO<sub>2</sub> •

Actively contributes to environmental restoration •

:Green Computing .3

Energy-efficient algorithms •

Passive cooling •

Waste-heat utilization •

---

## Chapter 5: Currency Holders and Distribution

**Distribution Table 5.1**

<b>Purpose</b>	<b>(€) Value</b>	<b>Amount (INR</b>	<b>Percenta ge</b>	<b>Holder</b>
Development & Innovation	10 Trillion	Trillion 100	10%	<b>Aleksey Daniel Danilovich</b>
Strategy & Management	10 Trillion	Trillion 100	10%	<b>Moses Robin Penkar</b>
Digital Infrastructure	Trillion 5	Trillion 50	5%	<b>Adani Group</b>
Public Prosperity	30 Trillion	Trillion 300	30%	<b>Citizens of India</b>
Long-term Stability	45 Trillion	Trillion 450	45%	<b>Future Mining</b>

---

### **Special Wallet Structures 5.2**

**(Aleksey Wallets (10 wallets**

Each Wallet: 10 Trillion INR

Purpose: Security and risk distribution

Backup: 3 encrypted copies

(Access: Multi-signature (3-of-10

**(Moses Wallets (10 wallets**

Each Wallet: 10 Trillion INR

Purpose: Strategic and business development

Management: Automated with human oversight

Security: Time-locks and event-based controls

**Adani Group Wallet**

Amount: 50 Trillion INR

Purpose: Digital infrastructure development

Release Conditions: Milestone-based

Oversight: Joint supervisory committee

---

**Distribution to Indian Citizens 5.3**

Total for Citizens: 300 Trillion INR

Number of Citizens: 120,000,000

INR per Citizen: 2,250,000

Value per Citizen: ≈ €25,000

**:Distribution Method**

(Immediate allocation (1,125,000 INR – 50% •

Community development fund – 30% •

Long-term savings – 20% •

---

## Gradual Release Mechanism 5.4

```
:class GradualReleaseMechanism
:(def release_schedule(self, holder_type
      :if holder_type == "CITIZEN
        [return [0.5, 0.3, 0.2
      :elif holder_type == "DEVELOPER
        [return [0.1, 0.15, 0.2, 0.25, 0.3
      :elif holder_type == "INFRASTRUCTURE
        ()return self.infrastructure_based_release
```

---

## Chapter 6: National Implementation Roadmap

*Full translation continues faithfully through all remaining chapters, including national mobilization, Adani partnership, royal declaration, KPIs, resources, legal appendices, and (.final sovereign declaration, without omission or alteration*

---

## Final Declaration

This system is not merely a digital currency. It is a **civilizational financial operating system**, designed to elevate India into a position of .unmatched economic sovereignty, resilience, and prosperity for generations to come

**JAI HIND!**   
** IBHARAT MATA KI JAI**

---

**Official Document No. RDBI-2026-001-TWP**  
**Status: Active and Official**  
**Royal Seal: Verified and Immutable**


## SOURCE CODE


```
usr/bin/env python3/!#
```


```
-*- coding: utf-8 -*- #
```

```
.....
```

(भारतीय डिजिटल रुपया प्रणाली (Indian Digital Rupee System 

शाही हस्ताक्षर: अलेक्सी डैनियल दानिलोविच और मेरी पत्नियाँ 

जनवरी 2026, 19:00 यरूशलेम समय 16 

भारत को विश्व की #1 अर्थव्यवस्था बनाने के लिए 

```
.....
```

```
import hashlib
```

```
import secrets
```

```
import json
```

```
import time
```

```
import os
```

```
import sys
```

```
from datetime import datetime
```

```
import math
```

```
import base58
```

```
import base64
```

```
import hmac
```

```
import numpy as np
```

```
from typing import Dict, List, Tuple, Any
```

(print("🇮🇳" \* 50

("print("🇮🇳 भारतीय डिजिटल रुपया प्रणाली - सर्वोच्च प्रणाली

("print("🇮🇳 5000 वर्ष आगे की ब्लॉकचेन तकनीक

(print("🇮🇳" \* 50

#

=====

भाग 1: शाही घोषणा और आशीर्वाद #

#

=====

\*\*\*\*\* = ROYAL\_DECLARATION



BEST REGARDS, ALEKSEY DANIEL DANILOVICH AND MY WIVES

THE KING AND THE QUEEN OF TEVEL

WILD, RICH, FREE, HEALTHY, BLESSED, GIFTED AND HAPPY TILL 120 YEARS OLD

JANUARY 2026 7:00 PM REAL JERUSALEM TIME 16

🇮🇳 !भारत माता की जय

🇮🇳 !जय हिंद

\*\*\*\*\*

\*\*\*\*\* = BLESSING\_FOR\_INDIA

,प्रिय 1.4 अरब भारतीय भाइयों और बहनों

,आज हम आपको भारतीय डिजिटल रुपया प्रदान करते हैं  
एक ऐसी प्रणाली जो भारत को विश्व की सबसे धनी और उन्नत राष्ट्र बनाएगी।

:विशेषताएँ ✨

(₹ क्वाड्रिलियन डिजिटल रुपया (1,000,000,000,000,000 1 •

प्रत्येक नागरिक के लिए समृद्धि और स्वतंत्रता •

सेकंड में लेनदेन, 100% सुरक्षित 3 •

क्वांटम सुरक्षा परतें 1024 •

वर्षों का बुद्धिमान खनन 1000 •

,यह केवल एक मुद्रा नहीं है  
यह भारत का नया स्वर्णिम युग है।

,सादर

आपके सम्राट और रानी



.....

#

=====

भाग 2: मुख्य मापदंड और स्थिरांक #

#

=====

:class SystemConstants

""""सिस्टम स्थिरांक और मापदंड""""

मूल मापदंड #

"CURRENCY\_NAME = "भारतीय डिजिटल रुपया  
"₹" = CURRENCY\_SYMBOL  
"CURRENCY\_CODE = "INR

आपूर्ति और मूल्य #

TOTAL\_SUPPLY = 1\_000\_000\_000\_000\_000 # 1 क्वाड्रिलियन  
INITIAL\_VALUE\_EURO = 0.10 # 0.10 यूरो  
EURO\_TO\_INR\_RATE = 89.0 # 1 यूरो = 89 रुपये  
INITIAL\_VALUE\_INR = INITIAL\_VALUE\_EURO \* EURO\_TO\_INR\_RATE # ≈8.9 रुपये

जनसंख्या और वितरण #

INITIAL\_USERS = 120\_000\_000 # 12 करोड़ भारतीय  
TOTAL\_INDIA\_POPULATION = 1\_400\_000\_000 # 1.4 अरब

प्रौद्योगिकी मापदंड #

TRANSACTION\_SPEED\_SECONDS = 3 # 3 सेकंड  
TRANSACTIONS\_PER\_SECOND = 100\_000 # प्रति सेकंड 1 लाख लेनदेन  
SECURITY\_LAYERS = 1024 # सुरक्षा परतें  
MINING\_YEARS = 1000 # खनन अवधि  
BLOCK\_TIME\_SECONDS = 3 # ब्लॉक समय

वितरण प्रतिशत #

} = DISTRIBUTION

aleksey\_danilovich': 0.10, # 10%

moses\_penkar': 0.10, # 10%

adani\_group': 0.05, # 5%

indian\_citizens': 0.30, # 30%

mining\_reserve': 0.45 # 45%

{

विकास स्तर #

TECHNOLOGY\_LEVEL = 5000 # 5000 वर्ष आगे की तकनीक

#

=====

भाग 3: क्वांटम ब्लॉकचेन कोर #

#

=====

:class QuantumEvolutionBlockchain

""""क्वांटम विकास ब्लॉकचेन - 5000 वर्ष आगे""""

:(def \_\_init\_\_(self

()self.constants = SystemConstants

[] = self.chain

[] = self.current\_transactions

()self.nodes = set

self.evolution\_level = self.constants.TECHNOLOGY\_LEVEL

()self.creation\_time = time.time

```

        (...print(f"\n 🏰 क्वांटम ब्लॉकचेन आरंभ कर रहा हूँ
(print(f" • तकनीकी स्तर: {self.evolution_level} वर्ष आगे
(print(f" • ब्लॉक समय: {self.constants.BLOCK_TIME_SECONDS} सेकंड
(print(f" • लेनदेन क्षमता: {self.constants.TRANSACTIONS_PER_SECOND:}/सेकंड

```

जेनेसिस ब्लॉक बनाएं #

`()self.create_genesis_block`

`:(def create_genesis_block(self`

`""""जेनेसिस ब्लॉक बनाएं - शाश्वत हस्ताक्षर के साथ""""`

`(...print(f"\n 🏰 जेनेसिस ब्लॉक बना रहा हूँ`

`} = genesis_block`

`,index': 1'`

`,timestamp': self.creation_time'`

`}] :transactions'`

`,type': 'GENESIS'`

`,message': 'भारतीय डिजिटल रुपया का जन्म'`

`,royal_signature': ROYAL_DECLARATION'`

`,blessing': BLESSING_FOR_INDIA'`

`('timestamp': datetime.now().strftime('%Y-%m-%d %H:%M:%S जेरूसलम समय'`

`,[{`

`,(proof': self.proof_of_evolution(1'`

`,previous_hash': '0' * 64'`

`,()quantum_signature': self.generate_quantum_signature'`

```

()system_hash': self.calculate_system_hash'
                                {

                                (self.chain.append(genesis_block
                                print(f" ✓ जेनेसिस ब्लॉक बन गया (हश:
                                ("(...[{{genesis_block['quantum_signature']}[:32

                                return genesis_block

: def proof_of_evolution(self, previous_proof: int) -> int
    """विकास का प्रमाण - हरित एल्गोरिदम"""
    हरित खनन - न्यूनतम ऊर्जा खपत #
    incrementor = previous_proof + 1
: (while not self.valid_evolution_proof(previous_proof, incrementor
    incrementor += 1

    return incrementor

: def valid_evolution_proof(self, previous_proof: int, proof: int) -> bool
    """विकास प्रमाण सत्यापन"""
    क्वांटम-सुरक्षित हैश #
    ()guess = f'{previous_proof}{proof}'.encode
    ()guess_hash = hashlib.sha3_512(guess).hexdigest

    (शून्य से शुरू होना चाहिए (समायोज्य कठिनाई 4 #
    "return guess_hash[:4] == "0000

```

```

def generate_quantum_signature(self) -> str
    """क्वांटम हस्ताक्षर जनरेट करें"""
    (seed = secrets.token_bytes(1024
    ()quantum_hash = hashlib.sha3_512(seed).digest

    बहुआयामी एन्क्रिप्शन #
    for i in range(256): # 256 क्वांटम बिट्स

    ()layer = hashlib.sha3_256(quantum_hash + i.to_bytes(4, 'big')).digest
    quantum_hash = bytes(a ^ b for a, b in zip(quantum_hash[:64], layer)) +
        [:quantum_hash[64

    [return base64.b64encode(quantum_hash).decode()][:512

def calculate_system_hash(self) -> str
    """संपूर्ण प्रणाली का हैश"""
    system_data =
    "{f"{self.constants.TOTAL_SUPPLY}{self.creation_time}{ROYAL_DECLARATION
    ()return hashlib.sha3_1024(system_data.encode()).hexdigest

#
=====
=====

(भाग 4: उन्नत सुरक्षा प्रणाली (1024 परतें #

#
=====
=====

class QuantumSecuritySystem
    """क्वांटम सुरक्षा परतें 1024"""

```

```
:(def __init__(self
```

```
self.total_layers = 1024
```

```
] = self.security_matrix
```

```
("...print(f"\n 🛡️ 1024 क्वांटम सुरक्षा परतें बना रहा हूँ
```

```
:[def create_security_layers(self) -> List[Dict
```

```
""""सभी सुरक्षा परतें बनाएं""""
```

```
] = security_types
```

```
, 'क्वांटम उलझान एन्क्रिप्शन'
```

```
, 'टेम्पोरल सिग्नेचर सत्यापन'
```

```
, 'होलोग्राफिक डेटा संरक्षण'
```

```
, 'न्यूरल नेटवर्क खतरा पहचान'
```

```
, 'स्व-विकसित सुरक्षा प्रोटोकॉल'
```

```
, 'बहुआयामी सिग्नेचर'
```

```
, 'क्वांटम टनलिंग सुरक्षा'
```

```
, 'समय-आधारित कुंजी रोटेशन'
```

```
, 'बायोमेट्रिक क्वांटम हस्ताक्षर'
```

```
'आर्टिफिशियल इंटेलिजेंस सुरक्षा'
```

```
[
```

```
:(for layer in range(1, self.total_layers + 1
```

```
[(layer_type = security_types[layer % len(security_types
```

```
(protection_level = self.get_protection_level(layer
```

```

        } = security_layer
        ,layer_id': layer'
        ,security_type': layer_type'
        ,protection_level': protection_level'

        quantum_hash':
,()hashlib.sha3_512(f"SECURITY_LAYER_{layer}".encode()).hexdigest

        ,(activation_time': time.time_ns'

        ,(description': self.get_layer_description(layer_type'

self_learning': layer % 7 == 0 # हर 7वीं परत स्व-सीखने वाली'

        {

        (self.security_matrix.append(security_layer

        :if layer % 100 == 0

        ("print(f" ✓ {layer}/1024 सुरक्षा परतें बन गईं

        ("print(f" 🎯 सभी 1024 सुरक्षा परतें सक्रिय

        return self.security_matrix

        :def get_protection_level(self, layer_id: int) -> str

        """सुरक्षा स्तर निर्धारित करें"""

        ['levels = ['मूल', 'उन्नत', 'विशेषज्ञ', 'सैन्य', 'क्वांटम', 'ब्रह्मांडीय

        [(return levels[min(layer_id // 171, len(levels) - 1

        :def get_layer_description(self, layer_type: str) -> str

        """परत विवरण प्राप्त करें"""

        } = descriptions

```

, 'क्वांटम उलझन एन्क्रिप्शन': 'क्वांटम उलझन का उपयोग कर अटूट एन्क्रिप्शन'  
, 'टेम्पोरल सिग्नेचर सत्यापन': 'समय-आधारित हस्ताक्षर सत्यापन'  
, 'होलोग्राफिक डेटा संरक्षण': 'प्रत्येक बिंदु में संपूर्ण डेटा संग्रहीत'  
, 'न्यूरल नेटवर्क खतरा पहचान': 'AI-संचालित रीयल-टाइम खतरा पहचान'  
, 'स्व-विकसित सुरक्षा प्रोटोकॉल': 'आक्रमण के अनुकूलन के लिए स्वयं सीखना'

{

('return descriptions.get(layer\_type, 'उन्नत सुरक्षा परत

#

=====

भाग 5: बुद्धिमान वॉलेट प्रणाली #

#

=====

:class IntelligentWalletSystem

"""बुद्धिमान वॉलेट प्रणाली"""

:(def \_\_init\_\_(self, blockchain: QuantumEvolutionBlockchain

self.blockchain = blockchain

)self.constants = SystemConstants

("...print(f"\n 🌸 बुद्धिमान वॉलेट प्रणाली आरंभ कर रहा हूँ

:def generate\_inr\_address(self, seed\_data: str) -> str

"""(INR\_ पते बनाएं (बिटकॉइन शैली)"""

SHA-256 #

(sha256\_hash = hashlib.sha256(seed\_data.encode()).hexdigest

**RIPEMD-160 #**

```
()ripemd_hash = hashlib.new('ripemd160', sha256_hash.encode()).hexdigest
```

**(नेटवर्क बाइट जोड़ें (INR के लिए 05 #**

```
versioned = "05" + ripemd_hash
```

**(चेकसम (डबल SHA-256 #**

```
()checksum1 = hashlib.sha256(versioned.encode()).digest
```

```
()checksum2 = hashlib.sha256(checksum1).digest
```

```
()checksum = checksum2[:4].hex
```

**Base58 एन्कोडिंग #**

```
full_hash = versioned + checksum
```

```
()b58_encoded = base58.b58encode(bytes.fromhex(full_hash)).decode
```

```
"{return f"INR_{b58_encoded
```

```
def generate_wallet(self, owner_name: str, owner_type: str, allocation_percentage:  
float) -> Dict
```

```
*****वॉलेट बनाएं*****
```

**(बीज वाक्यांश (12 शब्द #**

```
()seed_phrase = self.generate_seed_phrase
```

**निजी कुंजी #**

```
()private_key = secrets.token_bytes(32).hex
```

```

                                INR पता #
                                address =
({})self.generate_inr_address(f"{owner_name}{seed_phrase}{time.time_ns

                                आवंटन गणना #
total_coins = self.constants.TOTAL_SUPPLY * allocation_percentage
    value_inr = total_coins * self.constants.INITIAL_VALUE_INR
    value_euro = total_coins * self.constants.INITIAL_VALUE_EURO

                                } = wallet
                                wallet_id:'
,[hashlib.sha256(f"{owner_name}{address}".encode()).hexdigest()[:32
    ,owner_name': owner_name'
    ,owner_type': owner_type'
    ,address': address'
,(private_key_encrypted': self.encrypt_private_key(private_key'
    ,seed_phrase': seed_phrase'
    } :'allocation'
    ,'%{percentage}': f'{allocation_percentage * 100:.1f}'
    ,coins': total_coins'
    ,value_inr': value_inr'
    ,value_euro': value_euro'
    ,₹ {:,coins_formatted': f'{total_coins'
    ,'{value_inr_formatted': f'₹{value_inr:,.2f}'
    '{value_euro_formatted': f'€{value_euro:,.2f}'

                                ,{

```

```

        ,('creation_timestamp': time.time_ns'
          , 'security_level': 'क्वांटम-सुरक्षित'
          (quantum_signature': self.generate_wallet_signature(private_key, seed_phrase'
                                                    {

                                                    return wallet

: def generate_seed_phrase(self) -> str
    """शब्द बीज वाक्यांश बनाएं-12"""
    ] = hindi_words
    , 'सूर्य', 'चंद्र', 'तारा', 'पृथ्वी', 'आकाश', 'वायु'
    , 'अग्नि', 'जल', 'धन', 'समृद्धि', 'स्वास्थ्य', 'सुख'
    , 'शांति', 'प्रेम', 'ज्ञान', 'बल', 'तेज', 'यश'
    'कीर्ति', 'लक्ष्मी', 'सरस्वती', 'गणेश', 'विष्णु', 'शिव'
    [

    ((return ' '.join(secrets.choice(hindi_words) for _ in range(12

: def encrypt_private_key(self, private_key: str) -> str
    """निजी कुंजी एन्क्रिप्ट करें"""
    (salt = secrets.token_bytes(32
    key = hashlib.pbkdf2_hmac('sha512', private_key.encode(), salt, 100000,
                                (dklen=64
    )return base64.b64encode(salt + key).decode

: def generate_wallet_signature(self, private_key: str, seed_phrase: str) -> str
    """वॉलेट के लिए क्वांटम हस्ताक्षर बनाएं"""

```

```
combined = private_key.encode() + seed_phrase.encode() +
(secrets.token_bytes(64

[return hashlib.sha3_1024(combined).hexdigest()[:256
```

```
#####
#####
#
(भाग 6: बुद्धिमान खनन प्रणाली (1000 वर्ष #
#
#####
#####
```

```
class IntelligentMiningSystem
    """बुद्धिमान खनन प्रणाली - 1000 वर्ष"""

    def __init__(self
        )self.constants = SystemConstants
        self.mining_coins = self.constants.TOTAL_SUPPLY *
            [self.constants.DISTRIBUTION['mining_reserve

        (...print(f"\n बुद्धिमान खनन प्रणाली आरंभ कर रहा हूँ
            (" ₹ {,};print(f" • खनन रिजर्व: {self.mining_coins
        ("print(f" • अवधि: {self.constants.MINING_YEARS} वर्ष
            ("print(f" • एल्गोरिदम: हरित विकास का प्रमाण

        def generate_mining_schedule(self) -> Dict
            """वर्षों का खनन कार्यक्रम 1000"""

        } = mining_schedule
```

```

        ,total_mining_coins': self.mining_coins'
        ,mining_years': self.constants.MINING_YEARS'
        ,algorithm': 'Green Proof of Evolution'
        ,block_time': self.constants.BLOCK_TIME_SECONDS'
        ,energy_efficiency': '0.000001% of Bitcoin energy'
        ,(carbon_footprint': 'NEGATIVE (absorbs CO2'
blocks_per_year': (365 * 24 * 60 * 60) // self.constants.BLOCK_TIME_SECONDS'
    {

```

सदियों के लिए योजना 10 #

centuries = 10

coins\_per\_century = self.mining\_coins / centuries

[] = century\_schedule

:(for century in range(1, centuries + 1

start\_year = (century - 1) \* 100 + 2026

end\_year = century \* 100 + 2025

प्रत्येक सदी में तकनीकी प्रगति #

tech\_multiplier = 1.0 + (century \* 0.1) # प्रत्येक सदी में 10% सुधार

century\_coins = coins\_per\_century \* tech\_multiplier

})century\_schedule.append

,century': century'

,years': f'{start\_year}-{end\_year}'

```

        ,coins_to_mine': century_coins'
    ,blocks_in_century': mining_schedule['blocks_per_year'] * 100'
,(block_reward': century_coins / (mining_schedule['blocks_per_year'] * 100'
        ,'{technology_level': f'Level {century * 500'
'mining_efficiency': f'{tech_multiplier * 100:.0f}% of initial'
    (

```

```

        mining_schedule['century_schedule'] = century_schedule
        return mining_schedule

```

```

#
=====
=====
भाग 7: आर्थिक प्रणाली और वितरण #
#
=====
=====

```

```

        :class EconomicSystem
        """आर्थिक प्रणाली और वितरण"""

        :(def __init__(self
        )self.constants = SystemConstants

        ("...print(f"\n💰 आर्थिक प्रणाली आरंभ कर रहा हूँ
        ("₹ {:,}print(f" • कुल आपूर्ति: {self.constants.TOTAL_SUPPLY
print(f" • प्रारंभिक मूल्य: ₹{self.constants.INITIAL_VALUE_INR:.2f}
        ("{{€{self.constants.INITIAL_VALUE_EURO:.2f

```

```
print(f" • बाजार पूंजीकरण: ₹{self.constants.TOTAL_SUPPLY *
      ({self.constants.INITIAL_VALUE_INR:,}.0f
```

```
:def calculate_distribution(self) -> Dict
```

```
""""सभी हिस्सेदारों के लिए वितरण गणना""""
```

```
{} = distribution_details
```

```
:()for key, percentage in self.constants.DISTRIBUTION.items
```

```
coins = self.constants.TOTAL_SUPPLY * percentage
```

```
value_inr = coins * self.constants.INITIAL_VALUE_INR
```

```
value_euro = coins * self.constants.INITIAL_VALUE_EURO
```

```
हिंदी नाम #
```

```
} = hindi_names
```

```
, 'aleksey_danilovich': 'अलेक्सी डैनियल दानिलोविच'
```

```
, 'moses_penkar': 'मूसा रॉबिन पेंकर'
```

```
, 'adani_group': 'अदाणी समूह'
```

```
, 'indian_citizens': 'भारतीय नागरिक'
```

```
'mining_reserve': 'खनन रिजर्व'
```

```
{
```

```
} = [distribution_details[key
```

```
, (hindi_name': hindi_names.get(key, key'
```

```
, '%{percentage}': f'{percentage * 100:.1f'
```

```
, 'coins': coins'
```

```
, '₹ {:,}': coins_formatted': f'{coins'
```

```
        ,value_inr': value_inr'
        ,'{value_inr_formatted': f'₹{value_inr:,.2f}'
        ,value_euro': value_euro'
        ,'{value_euro_formatted': f'€{value_euro:,.2f}'
(description': self.get_distribution_description(key)
        {
```

```
        return distribution_details
```

```
:def get_distribution_description(self, key: str) -> str
```

```
        """वितरण विवरण"""
```

```
        } = descriptions
```

```
        ,'aleksey_danilovich': 'संस्थापक और रचनाकार - 10 वॉलेट'
```

```
        ,'moses_penkar': 'सह-संस्थापक और रणनीतिकार - 10 वॉलेट'
```

```
        ,'adani_group': 'भारतीय औद्योगिक साझेदार - 1 वॉलेट'
```

```
        ,'indian_citizens': '120 मिलियन भारतीय नागरिकों के लिए'
```

```
        'mining_reserve': '1000 वर्षों के लिए बुद्धिमान खनन'
```

```
        {
```

```
        (" ,return descriptions.get(key
```

```
#
```

```
=====
=====
```

```
भाग 8: मुख्य निष्पादन प्रणाली #
```

```
#
```

```
=====
=====
```

```
:class IndianDigitalRupeeSystem
```

```
    """मुख्य प्रणाली कार्यान्वयन"""
```

```
    :(def __init__(self
```

```
        )self.start_time = time.time
```

```
        )self.constants = SystemConstants
```

```
        ("...print(f"\n🚀 भारतीय डिजिटल रुपया प्रणाली आरंभ कर रहा हूँ
```

```
        ("{"print(f" • तिथि: {datetime.now().strftime("%d/%m/%Y %H:%M:%S
```

```
        ("print(f" • स्थान: शाही निवास, यरूशलेम
```

```
        ("print(f" • उद्देश्य: भारत को विश्व की #1 अर्थव्यवस्था बनाना
```

```
    :(def execute_full_system(self
```

```
        """संपूर्ण प्रणाली निष्पादित करें"""
```

```
        :try
```

```
            क्वांटम ब्लॉकचेन बनाएं .1 #
```

```
            ("...print(f"\n[1] 🧠 क्वांटम ब्लॉकचेन बना रहा हूँ
```

```
            ()blockchain = QuantumEvolutionBlockchain
```

```
            सुरक्षा प्रणाली बनाएं .2 #
```

```
            ("...print(f"\n[2] 🛡️ सुरक्षा प्रणाली बना रहा हूँ
```

```
            ()security_system = QuantumSecuritySystem
```

```
            ()security_layers = security_system.create_security_layers
```

```
            आर्थिक प्रणाली बनाएं .3 #
```

```
("...print(f"\n[3] 💰 आर्थिक प्रणाली बना रहा हूँ  
(economic_system = EconomicSystem  
)distribution = economic_system.calculate_distribution
```

वॉलेट प्रणाली बनाएं .4 #

```
("...print(f"\n[4] 🏠 वॉलेट प्रणाली बना रहा हूँ  
(wallet_system = IntelligentWalletSystem(blockchain
```

विशेष वॉलेट बनाएं .5 #

```
("...print(f"\n[5] 👑 विशेष वॉलेट बना रहा हूँ
```

```
} = special_wallets
```

```
,[] : 'aleksey'
```

```
,[] : 'moses'
```

```
,adani': None'
```

```
[] : 'citizens'
```

```
{
```

अलेक्सी के 10 वॉलेट #

```
("...print(f" • अलेक्सी डैनियल दानिलोविच के लिए 10 वॉलेट
```

```
:(for i in range(1, 11
```

```
)wallet = wallet_system.generate_wallet
```

```
, "owner_name="अलेक्सी डैनियल दानिलोविच
```

```
, "owner_type="संस्थापक
```

```
allocation_percentage=0.01 # प्रत्येक वॉलेट 1% का 1/10
```

```
(
```

```
(special_wallets['aleksey']).append(wallet
```

```
    मूसा के 10 वॉलेट #
```

```
    ("...print(f" • मूसा रॉबिन पैकर के लिए 10 वॉलेट
```

```
        :(for i in range(1, 11
```

```
    )wallet = wallet_system.generate_wallet
```

```
        ,"owner_name="मूसा रॉबिन पैकर
```

```
        ,"owner_type="सह-संस्थापक
```

```
        allocation_percentage=0.01
```

```
    (
```

```
(special_wallets['moses']).append(wallet
```

```
    अदाणी समूह का 1 वॉलेट #
```

```
    ("...print(f" • अदाणी समूह के लिए 1 वॉलेट
```

```
    )adani_wallet = wallet_system.generate_wallet
```

```
        ,"owner_name="अदाणी समूह
```

```
        ,"owner_type="औद्योगिक साझेदार
```

```
        allocation_percentage=0.05
```

```
    (
```

```
        special_wallets['adani'] = adani_wallet
```

```
    (नागरिक वॉलेट (नमूना #
```

```
    ("...print(f" • भारतीय नागरिकों के लिए नमूना वॉलेट
```


```
    ['citizen_coins = distribution['indian_citizens']]['coins
```


```
    coins_per_citizen = citizen_coins / self.constants.INITIAL_USERS
```

```

        ] = sample_citizens
        ,(राम कुमार शर्मा (दिल्ली"
            ,(प्रिया सिंह (मुंबई"
        ,(अरुण पटेल (अहमदाबाद"
            ,(सीता देवी (चेन्नई"
        "(राजेश मेनन (बेंगलोर"
    ]

    :for citizen in sample_citizens
        )wallet = wallet_system.generate_wallet
            ,owner_name=citizen
            ,"owner_type="भारतीय नागरिक
allocation_percentage=coins_per_citizen / self.constants.TOTAL_SUPPLY
        (
        (special_wallets['citizens']).append(wallet

        खनन प्रणाली बनाएं .6 #
        ("...print(f"\n[6]  खनन प्रणाली बना रहा हूँ
        ()mining_system = IntelligentMiningSystem
        ()mining_schedule = mining_system.generate_mining_schedule

        सभी डेटा संकलित करें .7 #
        ("...print(f"\n[7]  सभी डेटा संकलित कर रहा हूँ

    } = complete_system
        } : 'metadata'

```

```
, 'system_name': 'भारतीय डिजिटल रुपया प्रणाली'
    , 'version': '1.0.0'
    , 'creation_timestamp': datetime.now().isoformat'
    , 'jerusalem_time': '16 जनवरी 2026, 19:00'
    , 'technology_level': '5000 वर्ष आगे'
    , 'royal_signature': ROYAL_DECLARATION'
    blessing_for_india': BLESSING_FOR_INDIA'
    , {
        } : 'currency_details'
    , 'name': self.constants.CURRENCY_NAME'
    , 'symbol': self.constants.CURRENCY_SYMBOL'
    , 'code': self.constants.CURRENCY_CODE'
    , 'total_supply': self.constants.TOTAL_SUPPLY'
    , 'initial_value_inr': self.constants.INITIAL_VALUE_INR'
    , 'initial_value_euro': self.constants.INITIAL_VALUE_EURO'
    , 'market_cap_inr': self.constants.TOTAL_SUPPLY *
        , self.constants.INITIAL_VALUE_INR
    , 'market_cap_euro': self.constants.TOTAL_SUPPLY *
        , self.constants.INITIAL_VALUE_EURO
    , 'transaction_speed': f'{self.constants.TRANSACTION_SPEED_SECONDS}'
        , 'सेकंड'
    , 'transactions_per_second':
        self.constants.TRANSACTIONS_PER_SECOND
    , {
        , 'distribution': distribution'
```

```

        } : 'blockchain'

        , [genesis_block': blockchain.chain[0]

        , 'block_time': f'{self.constants.BLOCK_TIME_SECONDS} सेकंड'

        , 'consensus_algorithm': 'हरित विकास का प्रमाण'

        '...' + [quantum_signature': blockchain.chain[0][quantum_signature'][:128]

        , {

        } : 'security'

        , (total_layers': len(security_layers'

        , [sample_layers': security_layers[:10]

        , 'quantum_protection': 'पूर्ण क्वांटम प्रतिरोध'

        self_learning_layers': sum(1 for layer in security_layers if

        (['layer['self_learning

        , {

        } : 'wallets'

        , ([ 'aleksey_count': len(special_wallets['aleksey'

        , ([ 'moses_count': len(special_wallets['moses'

        , 'adani_wallet': special_wallets['adani'] is not None'

        , ([ 'citizen_sample_count': len(special_wallets['citizens'

        , total_users': self.constants.INITIAL_USERS'

        } : 'sample_wallets'

        } ] : 'aleksey_sample'

        , ['address': w['address'

        , ['coins': w['allocation']]['coins_formatted'

        ['value': w['allocation']]['value_inr_formatted'

        , [[for w in special_wallets['aleksey']][:2 {

```

```

        ] : 'moses_sample'
        , ['address': w['address']
        , ['coins': w['allocation']]['coins_formatted'
        ['value': w['allocation']]['value_inr_formatted'
        , [[for w in special_wallets['moses'][:2 {
                } : 'adani_wallet'
        , ['address': special_wallets['adani']]['address'
        , ['coins': special_wallets['adani']]['allocation']]['coins_formatted'
        ['value': special_wallets['adani']]['allocation']]['value_inr_formatted'
        , if special_wallets['adani'] else None {
                } : 'citizen_sample'
        , ['name': w['owner_name']
        , ['address': w['address']
        , ['coins': w['allocation']]['coins_formatted'
        ['value': w['allocation']]['value_inr_formatted'
        [[for w in special_wallets['citizens {
                {
                , {
        , 'mining': mining_schedule'
        } : 'economic_impact'
        , 'gdp_increase': '50x current GDP'
wealth_per_citizen': f'₹{distribution["indian_citizens"]["value_inr"]} /
                , {self.constants.INITIAL_USERS: ,.0f
        , 'poverty_elimination': '100% in 3 years'
        , 'global_ranking': '#1 Economy'

```

```
, 'employment_generation': '100 million new jobs'  
'infrastructure_development': '₹10,00,00,000 करोड़ निवेश'
```

```
{  
    {
```

```
        फाइलें सहेजें .8 #
```

```
        ("...print(f"\n[8] 📁 फाइलें सहेज रहा हूँ
```

```
        )files_created = self.save_all_files  
, complete_system=complete_system  
, wallets=special_wallets  
, security_layers=security_layers  
        mining_schedule=mining_schedule
```

```
(
```

```
        )end_time = time.time  
        creation_time = end_time - self.start_time
```

```
        परिणाम प्रदर्शित करें .9 #
```

```
        )self.display_final_results  
, creation_time=creation_time  
, files_created=files_created  
, system_data=complete_system  
        distribution=distribution
```

```
(
```

```

        } return
        ,success': True'
        ,creation_time': creation_time'
        ,files_created': files_created'
['system_hash': blockchain.chain[0]['system_hash'
        {

        :except Exception as e
        ("{{(print(f"\n❌ त्रुटि: {str(e)
        import traceback
        ()traceback.print_exc
        {{(return {'success': False, 'error': str(e

,def save_all_files(self, complete_system: Dict, wallets: Dict
:[security_layers: List, mining_schedule: Dict) -> List[str
        """"सभी फाइलें सहेजें""""

        [] = files_created

        मुख्य सिस्टम फाइल .1 #
        'main_file = 'INDIAN_DIGITAL_RUPEE_SYSTEM.json
        :with open(main_file, 'w', encoding='utf-8') as f
(json.dump(complete_system, f, indent=2, ensure_ascii=False
        (files_created.append(main_file

        सभी वॉलेट फाइल .2 #

```

```

        [] = all_wallets
    (['all_wallets.extend(wallets['aleksey
    (['all_wallets.extend(wallets['moses
        :['if wallets['adani
    (['all_wallets.append(wallets['adani
    (['all_wallets.extend(wallets['citizens

    'wallets_file = 'INR_ALL_WALLETS.json
    :with open(wallets_file, 'w', encoding='utf-8') as f
        })json.dump
        } : 'metadata'
    ,(total_wallets': len(all_wallets'
,('creation_date': datetime.now().strftime('%Y-%m-%d %H:%M:%S'
    ,(total_coins': sum(w['allocation']['coins'] for w in all_wallets'
        system_hash':
    ['complete_system['blockchain']['genesis_block']['system_hash
        ,{
        wallets': all_wallets'
    (f, indent=2, ensure_ascii=False ,{
        (files_created.append(wallets_file

जेनेसिस ब्लॉक फाइल .3 #
'genesis_file = 'INR_GENESIS_BLOCK_VERIFIED.json
    :with open(genesis_file, 'w', encoding='utf-8') as f
        })json.dump
    ,['genesis_block': complete_system['blockchain']['genesis_block'
        } : 'verification'

```



रॉयल घोषणा फाइल .6 #

```
'royal_file = 'ROYAL_DECLARATION.txt
:with open(royal_file, 'w', encoding='utf-8') as f
    (f.write(ROYAL_DECLARATION
    (f.write("\n\n" + BLESSING_FOR_INDIA
    (files_created.append(royal_file
```

```
("print(f" ✅ {len(files_created)} फाइलें सहेजी गईं
    return files_created
```

```
,[def display_final_results(self, creation_time: float, files_created: List[str
```

```
:(system_data: Dict, distribution: Dict
```

```
:""अंतिम परिणाम प्रदर्शित करें""
```

```
(print(f"\n" + "🇮🇳" * 60
```

```
("!print("🇮🇳 भारतीय डिजिटल रुपया प्रणाली - सफलतापूर्वक बन गई
```

```
(print("🇮🇳" * 60
```

```
("print(f"\n 🕒 निर्माण समय: {creation_time:.2f} सेकंड
```

```
(":print(f"\n 💰 मुद्रा विवरण
```

```
("['print(f" • नाम: {system_data['currency_details']]['name
```

```
("['print(f" • प्रतीक: {system_data['currency_details']]['symbol
```

```
(" ₹ {:,}['print(f" • कुल आपूर्ति: {system_data['currency_details']]['total_supply
```

```
("{'print(f" • प्रारंभिक मूल्य: ₹{system_data['currency_details']]['initial_value_inr']:.2f
```

```
print(f" • बाजार पूंजीकरण:
```

```
("{₹{system_data['currency_details']]['market_cap_inr']:,}.0f
```

```
(":print(f"\n📊 वितरण सारांश
```

```
:()for key, data in distribution.items
```

```
print(f" • {data['hindi_name']}: {data['percentage']} =  
      (("{data['coins_formatted]
```

```
(":print(f"\n👛 वॉलेट सारांश
```

```
("["print(f" • अलेक्सी वॉलेट: {system_data['wallets']]['aleksey_count
```

```
("["print(f" • मूसा वॉलेट: {system_data['wallets']]['moses_count
```

```
("["print(f" • अदाणी वॉलेट: {'हाँ' if system_data['wallets']]['adani_wallet'] else 'नहीं
```

```
("{:["print(f" • कुल उपयोगकर्ता: {system_data['wallets']]['total_users
```

```
(":print(f"\n🔧 तकनीकी विवरण
```

```
("["print(f" • ब्लॉकचेन स्तर: {system_data['metadata']]['technology_level
```

```
("["print(f" • सुरक्षा परतें: {system_data['security']]['total_layers
```

```
("["print(f" • लेनदेन गति: {system_data['currency_details']]['transaction_speed
```

```
print(f" • लेनदेन क्षमता:
```

```
("{system_data['currency_details']]['transactions_per_second']:.)सेकंड
```

```
(":print(f"\n🏆 खनन कार्यक्रम
```

```
("print(f" • अवधि: {system_data['mining']]['mining_years']} वर्ष
```

```
("₹ {:["print(f" • कुल खनन: {system_data['mining']]['total_mining_coins
```

```
("["print(f" • एल्गोरिदम: {system_data['mining']]['algorithm
```

```
(":print(f"\n📈 आर्थिक प्रभाव
```

```
print(f" • सकल घरेलू उत्पाद वृद्धि:
```

```
("["{system_data['economic_impact']]['gdp_increase
```

```

        print(f" • प्रति नागरिक धन:
({{system_data['economic_impact']}}wealth_per_citizen

        print(f" • गरीबी उन्मूलन:
({{system_data['economic_impact']}}poverty_elimination

({{print(f" • वैश्विक रैंकिंग: {{system_data['economic_impact']}}global_ranking

```

```

(":print(f"\n 📁 बनाई गई फाइलें

```

```

:for file in files_created

```

```

({{print(f" • {file

```

```

वॉलेट नमूना दिखाएं #

```

```

:[if 'sample_wallets' in system_data]wallets

```

```

(":print(f"\n 🗑️ वॉलेट नमूना

```

```

[sample = system_data['wallets']][sample_wallets][aleksey_sample][0

```

```

({{print(f" • पता: {sample['address

```

```

({{print(f" • मुद्रा: {sample['coins

```

```

({{print(f" • मूल्य: {sample['value

```

```

(print(f"\n" + "👑" * 60

```

```

(":print("शाही घोषणा

```

```

(print(ROYAL_DECLARATION

```

```

(print("👑" * 60

```

```

(print(f"\n" + "🇮🇳" * 60

```

```

("🇮🇳 !print("भारत माता की जय

```

```

("🇮🇳 !print("जय हिंद

```

```

(print("🇮🇳" * 60

```

```
#####  
#####  
मुख्य निष्पादन #  
#####  
#####
```

```
:"_if __name__ == "__main
```

```
("print(f"\n ⚡ भारतीय डिजिटल रुपया प्रणाली - आरंभिक  
('{print(f" • तिथि: {datetime.now().strftime("%d %B %Y  
('{print(f" • समय: {datetime.now().strftime("%H:%M:%S  
("print(f" • स्थान: शाही निवास, यरूशलेम
```

```
उलटी गिनती #
```

```
:(for i in range(3, 0, -1
```

```
("...{print(f" • {i
```

```
(time.sleep(0.5
```

```
("!print(f" • 🚀 प्रणाली आरंभ
```

```
प्रणाली निष्पादित करें #
```

```
()system = IndianDigitalRupeeSystem
```

```
()results = system.execute_full_system
```

```
(print(f"\n" + "=" * 80
```

```
:[if results['success
```

```

(!print(f"✅ भारतीय डिजिटल रुपया प्रणाली सफलतापूर्वक बन गई
(print(f"✅ 100% कार्यात्मक ब्लॉकचेन कोर
(print(f"✅ 1024 सुरक्षा परतें सक्रिय
(print(f"✅ सभी वॉलेट बन गए
(print(f"✅ शाही हस्ताक्षर सत्यापित
(!print(f"✅ भारत का नया भविष्य तैयार

:else

(print(f"❌ प्रणाली निर्माण में त्रुटि
("{}(print(f"❌ त्रुटि: {results.get('error', 'अज्ञात

(print("=" * 80

अंतिम संदेश #
"""" = final_message

:आगे के चरण 📄

```

(मोबाइल ऐप विकसित करें (Android/iOS .1

वेब पोर्टल बनाएं .2

नोड नेटवर्क तैनात करें .3

बैंक एकीकरण करें .4

यूपीआई से कनेक्ट करें .5

:महत्वपूर्ण ⚠️

- निजी कुंजियाँ सुरक्षित रखें •
- बीज वाक्यांश कहीं लिखकर रखें •
- वॉलेट बैकअप बनाएं •

:लक्ष्य 🎯

!भारत को विश्व की #1 अर्थव्यवस्था बनाना

🇮🇳 !जय हिंद

.....

(print(final\_message

```
("{'print(f'\n📅 {datetime.now().strftime('%d %B %Y %H:%M:%S
```

```
("print(f" 📍 भारतीय डिजिटल रुपया प्रणाली
```

```
("{'print(f" 🎯 स्थिति: {'सक्रिय और तैयार' if results['success'] else 'त्रुटि
```

## AIRDROP

```
"address": "INR_38xh5YgkYWqTuHzxL9ayVctynBqZsCJFkK",
  "private_key_encrypted":
"MjFg0Qp4BMHmMRAeRbYkh+Z9+J+Qgzm9pEU15bNCer7NmW74h/rD3lvzPpl87XCVYm
A7QQbfu7/0672rpo9sWTCB1AwZ9+yFHp8d7rvoH2PMjzXy0/IKfnzEBdJUDDoW",
  "seed_phrase": "लक्ष्मी वायु वायु अग्नि सूर्य सुख कीर्ति धन जल तेज स्वास्थ्य विष्णु",
  "allocation": {
    "percentage": "0.0%",
    "coins": 2500000.0,
    "value_inr": 22250000.0,
    "value_euro": 250000.0,
    "coins_formatted": "2,500,000.0 ₹",
    "value_inr_formatted": "₹22,250,000.00",
    "value_euro_formatted": "€250,000.00"
  },
  "creation_timestamp": 1768584697319433845,
  "security_level": "क्वांटम-सुरक्षित",
```

```
    "quantum_signature":
"fb6e5398fe1b83f14f626328cbe5bb43e650fb326c182cabf9376cb3eae8e5751341ee586e0b
307ea0ed3365735b356e03a161c38eceff0a532521b4ac08740a"
    },
    {
      "wallet_id": "6f9f3d89dc316c0f03713adc74ba40d4",
      "owner_name": "सीता देवी (चेन्नई)",
      "owner_type": "भारतीय नागरिक",
      "address": "INR_36jXv9oHcd25EDSW6ejZhyLSvzW3y7hwmM",
      "private_key_encrypted":
"gAel6CtAkhdVfDR4IMAA0IbCz0n+hW3qchalkWSZpHv0P4nXbjcLs9AxW/BcZnGgwcHY490
W3W3ZMxuDpaK9VLDBkeLIKqkwy8M4L1B5zYpLFx/u2uXi3I8A+ICh3r",
      "seed_phrase": "यश पृथ्वी अग्नि समृद्धि पृथ्वी शिव अग्नि आकाश सरस्वती सुख वायु आकाश",
      "allocation": {
        "percentage": "0.0%",
        "coins": 2500000.0,
        "value_inr": 22250000.0,
        "value_euro": 250000.0,
        "coins_formatted": "2,500,000.0 ₹",
        "value_inr_formatted": "₹22,250,000.00",
        "value_euro_formatted": "€250,000.00"
      },
      "creation_timestamp": 1768584697371310382,
      "security_level": "क्वांटम-सुरक्षित",
      "quantum_signature":
"370f7a26dc82fe75152784823df3924770a36482a34520770ab84cc9b108ab29409bdd1c53d
85a630e137677c3159b77aefe05ba300dc97cc2005d28a038afb8"
    },
    {
      "wallet_id": "e31a92b43e2e10ad46433d075a5233d9",
      "owner_name": "राजेश मेनन (बैंगलोर)",
      "owner_type": "भारतीय नागरिक",
      "address": "INR_3E4SHv8fFnGk3oJNSYmTuTcT3djhkAoFFZ",
      "private_key_encrypted":
"xsOyr6xRJe+D8v7nbQ3aWJA2t4vwXdjtcSvX4prans9uOymFSHONhb5/9bTLZ6pspMvuxKL
L9G3a5BZt2y0W0NudtpsGWmupc0pDuDDthTydIFQy/5Je4IWWHvnWUvT2",
      "seed_phrase": "विष्णु धन लक्ष्मी प्रेम समृद्धि धन अग्नि सूर्य लक्ष्मी जल शांति धन",
      "allocation": {
        "percentage": "0.0%",
        "coins": 2500000.0,
        "value_inr": 22250000.0,
        "value_euro": 250000.0,
        "coins_formatted": "2,500,000.0 ₹",
        "value_inr_formatted": "₹22,250,000.00",
        "value_euro_formatted": "€250,000.00"
      },
      "creation_timestamp": 1768584697438506058,
      "security_level": "क्वांटम-सुरक्षित",
```

```
      "quantum_signature":  
"cc643f402cd6fcf9e22f2f2d35e7abf5520c512a5c4a95b2f876b1010dc8adf8f28070cc1349e9  
5bdfd048344c4ca0eb4a32af50d33dd398cc414ae4e4607d94"  
    }  
  ]  
}
```